



THE FOLLOWING MEDICATIONS MAY CAUSE BLEEDING PROBLEMS AND SHOULD BE AVOIDED 2 WEEKS PRIOR TO TREATMENT

If you have any questions regarding the Profound treatment please ask your Skincredible provider.

- 4-Way Cold Tablets
- A.S.S. Enseals
- A.S.A. Tablets
- Aches-N-Pain
- Acoda #3
- Addaprin
- Adlevika
- Advil
- Advil Cold & Sinus Caplets
- Advil Ibuprofen Tablets and Caplets
- Advil Suspension (Children's)
- Aleve Tablets
- Alka-Seltzer (flavored) antacid Tablets
- Alka-Seltzer (flavored) antacid and pain reliever
- Alka-Seltzer Effervescent antacid and pain reliever
- Alka-Seltzer Effervescent Tablets
- Alka-Seltzer Extra Strength Formula
- Alka-Seltzer Plus Cold Medicine Tablets
- Anacin Arthritis Formula
- Anacin Coated Analgesic Tablets & Caplets
- Anacin Max Strength Analgesic Tablets
- Anacin Tablets, Capsules & Caplets
- Anaprox Tablets
- Anaprox DS Tablets
- Anodynos Tablets
- Ansaid Tablets
- AquaMephyton Amps (Vitamin K derivative)
- Argesic Tablets
- Arthralgen Tablets
- Arthritis Pain Formula Tablets
- Arthritis Strength Bufferin Tablets
- Arthritis Strength Bufferin Analgesic Caplets
- Arthropan Liquid
- Arthrotec Tablets
- Ascriptin A/D Caplets & Tablets
- Ascriptin with Codeine Tablets
- Ascriptin X-Strength Caps
- Asperbuf Tablets
- Aspergum
- Aspercreme
- Aspirin Uniserts (Rectal)
- Aspirin 15g Delayed Response Tablets
- Aspirin 800mg SR
- Aspirin 800mg Tablets
- Aspirin and Codeine Phosphate Tablets
- Aspircin Tabs
- Aspirmin X-Strength Tabs
- Aspirmin Tabs
- Aspitab
- Aspitab Max Strength
- Axotal Tablets
- Back-Quell
- Bayer Aspirin Tablets
- Bayer Children's Aspirin
- Bayer Aspirin Max Strength Caplets & Tablets
- Bayer Children's Cold Tablets
- Bayer Aspirin (Therapy) Caplets
- Bayer Timed-Release Aspirin Tablets
- BC Cold Powder Non-Drowsy Formula
- BC Powder, Arthritis Strength
- BC Tablets and Powder
- Buf-Tab
- Buff-A Comp No. 3 Tablets (Codeine)
- Buff-A Comp Tablets and Caplets
- Bufferin Analgesic Tablets and Caplets
- Bufferin, Tri-buffered Tabs
- Bufferin, X-Strength Tri-Buffered
- Bufferin, Arthritis Strength
- Bufferin with Codeine No.3 Tablets
- Buffets II Tablets
- Buffinol Tablets
- Butalbital Compound Tabs
- Butazolidin Caplets & Tablets
- Cama Arthritis Pain Reliever
- Carisoprodol Comp. (Soma)
- Celebrex Capsules
- Clinoril
- Codoxo Tabs
- Congesprin Chewable Tablets
- Cope Tablets
- Coricidin D. Decongestant Tablets
- Coricidin Tablets
- Cosprin Tablets
- Cosprin 325 Tablets
- Cosprin 650 Tablets
- Coumadin
- CP-2 Tablets
- Damason-P
- Darvon Compound Pulvules
- Darvon Compound-65
- Darvon with A.S.A. Pulvules
- Dasin Capsules
- Daypro Caplets
- Diflunisal Tablets
- Dinol Tablets
- Dimetapp Sinus Caps
- Disalcid Tablets/Capsules
- Doan's Pills
- Dolobid Tablets
- Double-A Tablets
- Dristan Sinus Caplets
- Dristan Menthol
- Duoprin Capsules
- Duoprin-S Syrup
- Duradyne Tablets
- Easprin Tablets
- EC - Naprosyn Delayed Release Tablets
- Ecotrin Duentric
- Ecotrin Max Strength Duentric
- Ecotrin Enteric Coated

- Aspirin Max Strength
- Ecotrin Enteric Coated Aspirin Regular Strength
- Ecotrin Tablets
- Eldepryl Tablets
- Eldepryl
- Emagrin Tablets
- Emprin Tablets
- Empirin with Codeine Tablets
- Enteric Coated ASA
- Equagesic Tablets
- Equazine - M Tablets
- Excedrin Extra Strength Analgesic Tablets
- Excedrin Tablets and Caplets
- Feldene Caplets
- Fenoprofen Tablets
- Fiogen Tablets
- Fiorinal Capsules & Tablets
- Fiorinal with Codeine
- Flexeril
- Fortabs
- FungiCure
- Gaysay - S Tablets
- Gelpirin Tablets
- Gemnisyn Tablets
- Genacote
- Genacote Max Strength
- Genpril
- Genpril Film - Coated Tab
- Gensan
- Goody's Headache Powder
- Goody's X-Strength Tabs
- Halfprin
- Haltron Tab
- Hep-Lock
- Heparin
- Ibufen-200
- Ibuprin
- IBU-TAB Ibuprofen Tablets
- Ibuprofen Tablets
- Idenal Tab
- Indocin Supp./Oral Suspension/SR Capsules
- Indomethacin Caplets
- Isollyl Improved Capsules
- Ketoprofen
- Lanorinal Tablets
- Listerine
- Lodine Caplets & Tablets
- Lortabl ASA Tablets
- Magan Tablet
- Magnaprin Arthritis Strength Tab
- Magsal Tablets
- Marnal Capsules
- Maximum Bayer Aspirin
- Maximum Strength Arthritis Pain Formula (Anacin)
- Maxiprin-15
- McNess Pain Tabs
- Measurin Tabs
- Mecofenamate Capsules
- Mefenamic Acid
- Meclomen Caplets
- Medipren Ibuprofen Caplets and tablets
- Menadol-IB
- Megaprin
- Mephyton Tablets (Vitamin K)
- Mepro-Analgesic #2
- Meprobamate and Aspirin Tablets
- Methocarbamol with Aspirin Tablets
- Micrainin Tablets
- Midol Caplets
- Mobidin Tablets
- Mobigesic Tablets
- Mobisylcreme
- Momentum Muscular Backache Formula Tablets
- Motrin (All Motrin Products)
- Motrin (Children's)
- Myofluxcreme
- Nabumetone (Relafen)
- Nalfon Caplets, Capsules & Tablets
- Naprelan Tablets
- Naprosyn Susp.
- Naprosyn Tablets
- Naprosyn Sod. Tablets
- Naproxen Tablets
- Neocylate Tablets
- Norgesic Tablets
- Norgesic Forte Tablets
- Norwich Aspirin Tablets
- Norwich Extra Strength Aspirin
- Nuprin
- Nuprin Ibuprofen/Analgesic Tablets & Caplets
- Orphengesic
- Orudis
- Oruvail Capsules
- Os-Cal-Gesic Tablets
- Pabalate
- Pabalate-SF Tablets
- P-A-C Revised Formula
- Pain Reliever Tabs
- Pamprin Max Pain Relief Caplets
- PediaProfen Suspension
- Pepto-Bismol Tablets and Suspension
- Percodan
- Percodan-Demi Tablets
- Persistin Tablets
- Phenylbutazone
- Ponstel Kapseals
- Propoxyphene HCl/Aspirin Formula
- Propoxyphene Compound-65
- Relafen Tablets
- Regular Strength Ascriptin Tablets
- Robaxisal Tablets
- Rowasa (5-ASA)
- Roxiprin Tablets
- Rufen Tablets
- S-A-C Tablets
- Saletto Tablets
- Salicysal
- Salocol Tablets
- Salflex Tablets
- Sine-Off Sinus Medicine Tablets - Aspirin
- SK-65 Compound Capsules
- Sloprin
- Soma Compound Tablets
- Soma Compound with Codeine Tablets
- St. Joseph's Aspirin for Children
- St. Joseph's Cold Tablets for Children
- St. Joseph's Adult Chewable Aspirin Caps
- Stanback Tablets and Powder
- Sulindac
- Supac
- Supac Tablets
- Surasa Tablets
- Synalgos Capsules
- Synalgos-DC Capsules
- Talwin Compound
- Talwin Compound Tablets
- Tenstan Tablets
- Ticlid
- Tolectin
- Tolectin DS Caplets & Tablets
- Tolmetin Tablets & Caplets
- Toradol IM
- Toradol Syrup
- Toradol Tablets/IM Injections
- Triaminicin Tablets
- Tricosal
- Tri-gesic
- Trilisate Tablets/Liquid
- Uracel-5
- Ultraprin
- Uvsinus Inlay Tablets
- Valprin
- Vanquish Caplets
- Verin
- Voltaren Ophthalmic Sol.
- Voltaren Tablets/X-R Tablets
- Vioxx
- Yutopar Tablet

SUPPLEMENTS

While “Natural Supplements” are beneficial for a variety of ailments, their use prior-to and following the Profound treatment is not recommended. Please discontinue use of the products listed below two weeks prior to treatment. You should continue to abstain from use for a minimum of two weeks following the procedure.

Nutritional supplements that should be discontinued include:

- Bilberry (*Vaccinium myrtillus*)
- Cayenne (*Capsicum annuum*)
- Dong Quai (*Angelica sinensis*)
- Echinacea (*Echinacea augustifolia*)
- Feverfew (*Tanacetum paithenium*)
- Fish Oil Capsules
- Garlic (*Allium sativum*)
- Ginger (*Zingiber officinale*)
- Ginkgo Biloba
- Ginseng (*Panax ginseng/Panax quinquefolium*)
- Hawthorne (*Crataegus laevigata*)
- Kava Kava (*Piper methysticum*)
- Licorice Root (*Glycyrrhiza glabra*)
- Ma Huang (*Ephedra sinica*)
- Melatonin
- Red Clover (*Trifolium pratense*)
- St. John’s Wort (*Hypericum perioratum*)
- Valerian (*Valeriana officinaiis*)
- Vitamin E
- Yohimbe (*Corynanthe yohimbe*)

If you have any additional questions or concerns regarding the Profound procedure please feel free to contact your Skincredible provider at:

(610) 525-3677

or

frontdesk@skincredible.com

Thank You